


[See contents](#)



List of contents

| | |
|---|----|
| Foreword | 11 |
| Meeting's Committees | 13 |
| Introductory Conference | |
| E. SEQUEIRA. Pastures and fodder crops as part of high natural value farm systems at Mediterranean dry-land agro-ecosystems | 17 |

Session 1 – Multifunctional role of grassland systems

| | |
|---|----|
| M.N. BUGALHO, J.M. ABREU. The multifunctional role of grasslands | 25 |
|---|----|

Oral presentations

| | |
|---|----|
| I. HADJIGEORGIOU, T. VAITSIS, G. LASKARIDIS, CH. TZANNI. Restoring semi-arid rangelands on a Greek Aegean island..... | 33 |
| C. OVALLE, A. DEL POZO, E. ZAGAL, J. ARONSON. Rehabilitation of degraded "Espinales" in the Mediterranean zone of Chile using annual legumes and multipurpose trees..... | 37 |
| R. TEIXEIRA, T. DOMINGOS, A.P.S.V. COSTA, R. OLIVEIRA, L. FARROPAS, F. CALOURO, A. BARRADAS, J. CARNEIRO. The dynamics of soil organic matter accumulation in Portuguese grassland soils | 41 |
| O. GABAY, A. PEREVOLOTSKY, M. SHACHAK. Landscape mosaic for enhancing biodiversity: On what scale and how to maintain it? | 45 |
| M. VARGIU, A. NONNOI, E. SPANU, L. SALIS. Selection of spontaneous genotypes with high pastoral value and for multiuse systems..... | 51 |

Posters

| | |
|--|-----|
| V. COPANI, E. RIGGI, S.L. COSENTINO, G. TESTA, S. VIRGILLITO. Ecologic and pastoral value of pastures of Sicilian mountains..... | 59 |
| A. ETIENNE, J.M. VALDERRAMA, C.H. DÍAZ-AMBRONA. Productive model of evergreen oak and annual pastures in Extremadura (Spain) | 65 |
| R. GARCÍA, C. VALDÉS, S. ANDRÉS, J. ALVARENGA, A. CALLEJA. Grazing livestock as a tool for managing natural feed resources in Sayago (Zamora, Spain) | 69 |
| P. MARTINIELLO, C. CICERETTI, E. SABIA, C. PACELLI, M. TERZANO. Behaviour of phytocenoses and herbage production regarding variation of top soil fertility in pasturelands of National Parks in Mediterranean environments..... | 73 |
| A. MINGO, A. MIGLIOZZI, G. MAUGERI. Integrated multi-scale approaches to Mediterranean grasslands. A case-study on the Nebrodi Mounts (Sicily) | 79 |
| H.C. NORMAN, D. MASTERS, R. SILBERSTEIN, F. BYRNE. Achieving profitable and environmentally beneficial grazing systems for saline land in Australia | 85 |
| M.M. OLIVEIRA, M.A. CARMONA, M.J. SANTOS. Saline effects on forage growth and quality | 89 |
| C. OVALLE, A. DEL POZO, A. LAVÍN, J. HIRZEL. Cover crops in vineyards for sustainable soil management | 93 |
| A. PARDINI, F. LONGHI, F. NATALI. Pastoral systems and agro-tourism in marginal areas of Central Italy | 97 |
| J. PASTOR, A.J. HERNÁNDEZ. Multi-functional role of grassland systems in the ecological restoration of mines, landfills, roadside slopes and agroecosystems..... | 103 |

| | |
|---|-------|
| V. PRATESI, L. GHISELLI, A. PARDINI, A. BUCCIONI, V. VECCHIO. Pasture plants of central Italy and possible traceable compounds in sheep cheese..... | 109 |
| A. DEL POZO, C. OVALLE, M.A. CASADO, B. ACOSTA, J.M. DE MIGUEL. Grassland diversity in the Mediterranean zone of Chile is greatly affected by land use system and grazing intensity | 113 |
| M.G. SERRÃO, H. DOMINGUES, A. VARELA, M.A. CASTELO BRANCO, M. FERNÁNDEZ, A.M. CAMPOS. Recycling urban biosolids in pastures of the Southeast of Portugal..... | 117 |
| R. TEIXEIRA, T. DOMINGOS, P. CANAVEIRA, T. AVELAR, G. BASCH, C. BELO, F. CALOURO, D. CRESPO, V.G. FERREIRA, C. MARTINS. Carbon sequestration in biodiverse sown grasslands | 123 |
| F.J. TEMPRANO, M. ALBAREDA, D.N. RODRÍGUEZ-NAVARRO. <i>Rhizobium</i> populations in grassland acid soils of Southwest Spain which nodulate <i>Trifolium</i> , <i>Medicago</i> , <i>Ornithopus</i> and <i>Biserrula</i> | 127 |
| T. VALADA, R. TEIXEIRA, T. DOMINGOS. Environmental and energetic assessment of sown irrigated pastures vs maize..... | 131 |
| D. PATÓN, R. FANLO, A. TOBOSO, F.M. VENEGAS. The use of biomass stability as a grazing indicator in Mediterranean areas | (i) |
| F.M. VENEGAS, R. FANLO, A. TOBOSO, D. PATÓN. Plant species-area relationships in grasslands and woodlands of the Mediterranean Basin: Consequences for the size of reserves | (vii) |

Session 2 – The role of perennial grasses in rainfed farming systems

| | |
|--|-----|
| F. LELIÈVRE, M.R. NORTON, F. VOLAIRE. Perennial grasses in rainfed Mediterranean farming systems – Current and potential role | 137 |
|--|-----|

Oral presentations

| | |
|--|-----|
| M. MEFTI, H. BOUZERZOUR, H. NOUAR, K. MAAMERI, M. TRABELSI, A. KHEDIM, A. ABDELGUERFI. Ecophysiological survey of some perennial grass cultivars in the semi-arid region of Setif | 149 |
| C. PORQUEDDU, G.P. DETTORI, S. MALTONI, C. BROPHY, J. CONNOLLY. Pure stands vs four-species mixtures: Agronomic and ecological implications in Mediterranean rainfed conditions . | 153 |
| N. STAGLIANÒ, G. ARGENTI, G. GENTILI. Forage species for long duration artificial mixtures characterised by different complexity..... | 157 |
| M.M. MIRREH. System approach to grazing in desert ecosystems: A case study in Saudi Arabia... | 161 |
| L. COJOCARIU, A. MOISUC, F. RADU, F. MARIAN, M. HORABLAGA, C. BOSTAN, V. SĂRĂȚEANU. Qualitative changes in the fodder obtained from forage legumes and <i>Lolium multiflorum</i> in the ecological conditions of Eastern Europe | 167 |
| Z. ACAR, I. AYAN, U. BASARAN, H. MUT, O. ONAL ASCI. Determination of yields and agricultural characters of some perennial forage grasses under Samsun ecological conditions..... | 173 |

Posters

| | |
|---|-----|
| K. ABBAS, T. MADANI, M. M'HAMMEDI BOUZINA, M. LAOUAR, A. ABDELGUERFI, N. TEDJARI. Evaluation of regenerated natural meadow in semi arid-areas of Algeria | 179 |
|---|-----|

| | |
|--|-----|
| K. ABBAS, T. MADANI, M. LAOUAR, M. M'HAMMEDI BOUZINA, A. ABDELGUERFI. Evaluation of a multi-species fodder surface area replacing a cereal crop in semi-arid areas of Algeria | 187 |
| J.P. CARNEIRO, N. SIMÕES, I.D. MAÇÃS, M. TAVARES-DE-SOUSA. Pasture improvement in montado extensive farming systems | 193 |
| I. DELGADO, C. ANDRÉS, F. MUÑOZ. Effect of the environmental conditions on different morphological and agronomical characteristics of sainfoin | 199 |
| A. FRANCA, S. CAREDDA, D. DETTORI, F. SANNA. Introducing new grass-legume mixtures for pasture improvement in agro-pastoral farming systems..... | 203 |
| A. KHEDIM, H.E. KHELIFI, M. NABI, K. HADJ-OMAR, M. MEFTI, S. MAOUCHE, D. BELLAGUE, M. M'HAMMEDI BOUZINA, M. LAOUAR, B.A. MERABET, H. BOUZERZOUR, A. ABDELGUERFI. Etude de comportement de trois graminées fourragères : <i>Dactylis glomerata</i> L., <i>Festuca arundinacea</i> Schreb., <i>Phalaris aquatica</i> Desf., en Algérie..... | 207 |
| A.P. KYRIAZOPOULOS, E.M. ABRAHAM, Z.M. PARISSI, A.S. NASTIS. Herbage production and nutritive value of <i>Dactylis glomerata</i> L. and <i>Trifolium subterraneum</i> L. alone and in mixture | 211 |
| M. MAIORANA, F. MONTEMURRO, G. CONVERTINI, F. FORNARO, A. FIORE. Sustainable management of fodder crops by compost application | 215 |
| M. MEFTI, H. BOUZERZOUR, A. ABDELGUERFI, H. NOUAR. Dry matter production and agronomical characteristics of perennial grass genotypes grown under drought conditions in the semi-arid climate of the Algerian high plateaus | 219 |
| Z. NESIC, Z. TOMIC, V. KRNJAJA, D. RUZIC-MUSLIC. Yield potential and persistency of cocksfoot and tall fescue in mixtures with lucerne at different levels of nitrogen fertilization | 223 |
| M.J. POBLACIONES, S. RODRIGO, N. SIMÕES, M.M. TAVARES DE SOUSA, A. BAGULHO, L. OLEA. Instantaneous determination of chemical composition of <i>Festuca</i> sp. and <i>Dactylis</i> sp. at two different cut times using near infrared spectroscopy (NIRS)..... | 227 |
| C. PORQUEDDU, S. NIEDDU, S. MALTONI. Drought survival of some perennial grasses in Mediterranean rainfed conditions: Agronomic traits | 231 |
| S. SLIMANI, M. BOUDELAA, A. BOUTEBBA, A. TAHAR. Phenologic observations and agronomic features of three local Poaceae fodder grasses in North East Algeria | 237 |
| E. VASILEV. Dry mass yield from sainfoin in binary mixtures with ryegrass and cocksfoot..... | 241 |

Session 3 – Ecophysiological strategies to overcome water deficit

| | |
|---|-----|
| M. MORENO, J. GULÍAS, M. LAZARIDOU, H. MEDRANO, J. CIFRE. Ecophysiological strategies to overcome water deficit in herbaceous species under Mediterranean conditions | 247 |
|---|-----|

Oral presentations

| | |
|--|-----|
| F. LELIÈVRE, S. SATGER, F. VOLAIRE. Water use efficiency in a mild season and water cost of summer survival of perennial forage grasses in Mediterranean areas | 259 |
| D. BELLAGUE, A. CHEDJERAT, A. KHEDIM, H. KHELIFI, M. M'HAMMEDI BOUZINA, B. MERABET, M. LAOUAR, A. ABDELGUERFI. Comportement et efficience d'utilisation de l'eau de quelques cultivars de luzerne pérenne dans une région semi-aride en Algérie | 265 |
| S. SATGER, F. RUGET, F. VOLAIRE, N. BRISSON, F. LELIÈVRE. A model to simulate tiller dynamics of perennial forage grasses under severe Mediterranean drought | 269 |

M.S. VRAHNAKIS, P. KOSTOPOULOU, M. LAZARIDOU, T. MEROU, G. FOTIADIS. Modelling growth responses of annual legumes to water shortage 275

G. ERICE, J. IRIGOYEN, M. SÁNCHEZ-DÍAZ, J.C. AVICE, A. OURRY. Effect of the interaction between elevated CO₂, temperature and drought during regrowth of nodulated alfalfa plants 279

Posters

J.A. CARDOSO, M. ZAITEGUI, A.B. ROBLES. Relationship between seed survival and seed characteristics of nine Mediterranean legumes after ingestion by sheep 285

A. CRISTAUDO, F. GRESTA, G. AVOLA, V. MIANO. Germination capability of immature seeds of *Lotus ornithopodioides* L. and *Scorpiurus subvillosus* L. 289

N. ELBOUTAHIRI, I. THAMI ALAMI, M. IBRIZ, C. ALFAIZ. The effect of salinity and high temperature on biomass production of some alfalfa landraces 293

T. HAYEK, M. LOUMEREM, K. NAGAZ, M. THABET. Growth development and dry matter yield of 16 Lucerne genotypes cultivated in south Tunisia 299

S. JABALLAH, A. GRIBAA, F. VOLAIRE, A. FERCHICHI. Ecophysiological responses of perennial grasses *Stipa lagascae* and *Dactylis glomerata* under soil water deficit 303

R. KALLIDA, C. AL FAIZ, N. SHAIMI. Water stress effects on perennial grasses growth and behaviour 309

M. KARATASSIOU, Z.M. PARISSI, E.M. ABRAHAM, A.P. KYRIAZOPOULOS. Growth of *Morus alba* L. under water deficit conditions 315

A. KHEDIM, H.E. KHELIFI, M. NABI, K. HADJ-OMAR, M. MEFTI, S. MAOUCHE, D. BELLAGUE, M. M'HAMMEDI BOUZINA, M. LAOUAR, B.A. MERABET, H. BOUZERZOUR, A. ABDELGUERFI. Etude du comportement vis a vis de la sécheresse estivale de trois graminées fourragères : *Dactylis glomerata* L., *Festuca arundinacea* Schreb., *Phalaris aquatica* Desf. 319

H.E. KHELIFI, D. BELLAGUE, A. KHEDIM, A. CHEDJERAT, M. M'HAMMEDI BOUZINA, B.A. MERABET, M. LAOUAR, A. BENMESSAOUD, M. LAZALI, Y. ALOUANE, K. HADJ-OMAR, M. NABI, S. OUMATA, A. ABDELGUERFI. Etude du comportement de seize cultivars de luzerne perenne (*Medicago sativa* L.) conduits sous deux régimes hydriques, dans deux régions (subhumide et semi-aride) de l'Algérie 323

H.E. KHELIFI, A. KHEDIM, B.A. MERABET, A. BENMESSAOUD, K. HADJ-OMAR, M. NABI, Y. ALOUANE, M. LAZALI, D. BELLAGUE, S. OUMATA, M. LAOUAR, M. M'HAMMEDI BOUZINA, A. ABDELGUERFI. Résultats préliminaires de production et d'efficacité d'utilisation de l'eau chez des cultivars de luzerne pérenne (*Medicago sativa*) en régime hydrique pluvial et irrigué 327

M.E.V.L. LOURENÇO, P.M.M. PALMA, L.L. SILVA, V.M.L. MASSA. Annual ryegrass yields under supplemental irrigation 331

A. MINGO, A. CRISTAUDO, L. VITALE, V. MAGLIULO. Differential response to drought, disturbance and increasing temperature of endemic and non-endemic species of a mountain-Mediterranean grassland 335

G. MOLERO, I. ARANJUELO, S. NOGUÉS. Study of seasonal variation on WUE of eight varieties of lucerne plants exposed to drought 341

C. PATANÈ, S.L. COSENTINO, V. COPANI. Hardseededness in two *Medicago* species as affected by water stress during seed development 345

| | |
|--|-----|
| N. SIMÕES, I.D. MAÇÃS, J.P. CARNEIRO, M.M. TAVARES DE SOUSA. Water use efficiency in grass species – <i>Dactylis glomerata</i> and <i>Festuca arundinacea</i> | 349 |
| V. VASILEVA. Effect of fertilizer and water deficiency stress on nitrogen in the root mass yield of lucerne for seeds..... | 353 |
| F. VOLAIRE. Morpho-physiological traits associated with drought survival in bi-specific perennial herbaceous swards..... | 357 |

Session 4 – Selection for sustainable forage crops and pastures

| | |
|---|-----|
| A. LOI, B.J. NUTT, C.K. REVELL. Domestication of new annual pasture legumes for resilient Mediterranean farming systems..... | 363 |
|---|-----|

Oral presentations

| | |
|---|-----|
| A. ZOGLAMI KHÉLIL, S. BEN YOUSSEF, H. BEN SALEM, H. HASSEN. Effect of the seeding rate on yield components and regeneration of a local variety of <i>Scorpiurus muricatus</i> L. in the semi-arid conditions of Tunisia..... | 375 |
| E. CORREAL, A. HOYOS, S. RÍOS, P. MÉNDEZ, D. REAL, R. SNOWBALL, J. COSTA. Seed production of <i>Bituminaria bituminosa</i> : Size, production, retention and germination capacity of the legumes..... | 379 |
| R. ISSOLAH, S. YAHIAOUI. Phenological variation within several Algerian populations of <i>sulla</i> (<i>Hedysarum coronarium</i> L., Fabaceae)..... | 385 |
| M.S. ABBAS, M.H. EL-MORSY, M.A. SHAHBA, F.I. MOURSY. Ecological studies in coastal sand dune rangelands in the north-west of Egypt..... | 389 |
| R. TUTTOBENE, F. GRESTA, O. SORTINO, F. FRASCA POLARA, M. DIPASQUALE, V. ABBATE. Characterization of native populations of <i>Trifolium</i> spp. | 395 |

Posters

| | |
|---|-----|
| I. ABDELKADER, A. FERCHICHI, M. CHAIEB. Measurements of aerial biomass of <i>Cenchrus ciliaris</i> L. under the arid bioclimate of Tunisia..... | 401 |
| M. ABID, M. HADDAD, A. FERCHICHI. Effect of magnesium sulphate on the first stage of development of Lucerne..... | 405 |
| S. ABIDI, M. HADDAD, A. FERCHICHI. Effet d'un compost oasien sur la culture de la luzerne (<i>Medicago sativa</i> L.)..... | 409 |
| U. BASARAN, O. ONAL ASCI, H. MUT, I. AYAN, Z. ACAR. Morphological and nutritional properties of some <i>Lathyrus</i> species..... | 415 |
| M.A. BENABDERRAHIM, M. HADDAD, A. FERCHICHI. Essai d'adaptation de 16 cultivars de luzerne pérenne (<i>Medicago sativa</i> L.) dans un système oasien de sud tunisien: Gabes (local) et 15 cultivars étrangers..... | 419 |
| A. CORLETO, E. CAZZATO. Dry matter yield, earliness and plant regeneration of different subclover cultivars in southern Italy..... | 423 |
| E. CORREAL, D.J. WALKER, A. DE HOYOS. Seed production in <i>Atriplex halimus</i> : Effect of ploidy on seed size, germination capacity and initial plant vigour..... | 427 |

| | |
|--|-----|
| D. DJUKIC, V. STEVOVIC, D. DJUROVIC, O. ILIC. The effect of organic fertilizer on biomass yield and quality of natural meadows | 431 |
| A. GADDOUR, S. NAJARI, M. OUNI. Productive performance of pure breeds and cross-bred goat genotypes in southern Tunisia | 435 |
| A. GASMI-BOUBAKER, R. MOSQUERA-LOSADA, C. KAYOULI, A. RIGUEIRO-RODRÍGUEZ, T. NAJAR. Nutrient composition of native vegetation growing in the pastures of central Tunisia | 439 |
| D. DE GIORGIO, A. LESTINGI, F. BOVERA, G. CONVERTINI. Bioactivators and nitrogen fertilization applied to durum wheat: Effects on the chemical composition and <i>in vitro</i> digestibility of straw | 443 |
| A. KHEDIM, H.E. KHELIFI, S. DJAOUCHI, S. CHAFAÏ, M. LAOUAR, M. M'HAMMEDI BOUZINA, A. ABDELGUERFI. Caractérisation de quelques populations spontanées de deux espèces de graminées fourragères pérennes : <i>Dactylis glomerata</i> L. et <i>Festuca arundinacea</i> Schreb..... | 449 |
| M. LOUMEREM, M.M. TAVARES DE SOUSA, P. ANNICCHIARICO, L. PECETTI, T. HAYEK, C. BOUBAKRI. Improvement of native perennial forage plants for sustainability of Mediterranean farming systems. Lucerne (<i>Medicago sativa</i>) breeding work in south Tunisia | 453 |
| H. MUT, I. AYAN, Z. ACAR, U. BASARAN, O. TONGEL, O. ONAL ASCI. Determination of the relationship between soil structure and botanical composition of the plain pastures in the coastal region of Samsun province | 459 |
| I. ORTAŞ. The effect of mycorrhizal inoculation on forage and non-forage plant growth and nutrient uptake under field conditions | 463 |
| L. PECETTI, A.M. CARRONI, P. ANNICCHIARICO, P. MANUNZA, A. LONGU, G. CONGIU. Adaptation, summer survival and autumn dormancy of lucerne cultivars in a south European Mediterranean region (Sardinia)..... | 471 |
| N. SHAIMI, C. ALFAIZ, N. SAIDI. Genetic erosion of perennial forage grasses in Morocco: First observations..... | 475 |
| O. SORTINO, F. GRESTA, G. AVOLA, V. ABBATE. Morphological and bio-agronomic evaluation of populations of <i>Scorpiurus subvillosus</i> L..... | 479 |
| L. SULAS, M. LEDDA. Sulla (<i>Hedysarum coronarium</i> L.) seed production at different sowing rates | 483 |
| L. SULAS, A. VENTURA, L. MURGIA. Phytomass production from <i>Silybum marianum</i> for bioenergy | 487 |
| List of participants | 491 |